

Fig.1

Fig.2A







Fig.2B


```
<posdata>
   <shop>
     <shopCode>010</shopCode>
     <shopName>FRANCE SHOP</shopName>
   </shop>
   <salesInformation>
     <sellDate>990928</sellDate>
     <class>
       <class1 code="01">VEGETABLES</class1>
       <class2 code="01">ROOT VEGETABLES</class2>
       <class3 code="01">JAPANESE RADISHES</class3>
     </class>
     <goods>
       <goodsCode>"0160018"</goodsCode>
       <goodsName>JAPANESE RADISH</goodsName>
       <standard>0102</standard>
     </goods>
     <price>
       <amountOfSales>0</amountOfSales>
       <amountOfPoints>0</amountOfPoints>
       <sales1 point="0">0</sales1>
       <sales2 point="0">0</sales2>
       <sales3 point="0">0</sales3>
       <grossProfit>0</grossProfit>
     </price>
  </salesInformation>
  <additionalInformation>
     <createdDate>990928</createdDate>
  </additionalInformation>
</posdata>
```



ARC LIST: "CHILD→PARENT" RELATIONSHIP To-ID From-ID 10 20 30 30 50 60 70 80 90 Fig.4C ARC LIST: "CHILD→PARENT" To-ID From-ID RELATIONSHIP 0 2 2 2 0 0 10 30 30 70 60 80 80 100 Fig.4B <90, 1004 100] (90, 110) 30 <20, 30> <10, 502 20 A ≤ 10, 20> <0, 60, 60) 80.2 <0, 10> ⟨0, 80⟩ OVERALL TREE • Fig.4A










Fig.9

ARRAY OF PARENT-CHILD RELATIONSHIP
BASED ON "CHILD→PARENT" RELATIONSHIP OF DEPTH-FIRST




Fig.10

ARRAY OF PARENT-CHILD RELATIONSHIP
BASED ON "PARENT-CHILD" RELATIONSHIP OF DEPTH-FIRST




Fig.11




Fig.12

ARRAY OF PARENT-CHILD RELATIONSHIP
BASED ON "CHILD—PARENT" RELATIONSHIP OF WIDTH-FIRST






Fig.13

ARRAY OF PARENT-CHILD RELATIONSHIP
BASED ON "PARENT→CHILD" RELATIONSHIP OF WIDTH-FIRST





"CHILD→PARENT"


EXPRESSION FORM


WIDTH-FIRST


"CHILD→PARENT"

EXPRESSION FORM

DEPTH-FIRST












Fig.18B PROCEDURE 1




Fig.18C PROCEDURE 2




Fig.19A PROCEDURE 3




Fig.19B PROCEDURE 4




Fig.19C PROCEDURE 5




Fig.20A PROCEDURE 6




Fig.20B PROCEDURE 7




Fig.20C PROCEDURE 8




Fig.21A PROCEDURE 9




Fig.21B PROCEDURE 10




Fig.21C PROCEDURE 11




Fig.22




Fig.23




Fig.24A PROCEDURE 0




Fig.24B PROCEDURE 1





Fig.24C PROCEDURE 2








Fig.25B PROCEDURE 4





Fig.25C PROCEDURE 5








Fig.26B PROCEDURE 7





Fig.26C PROCEDURE 8








Fig.27B PROCEDURE 10




Fig.27C PROCEDURE 11





Fig.28






Fig.29

EXPRESSION BASED ON DEPTH-FIRST CHILD→PARENT T 9 ထဝ DEPTH-FIRST "CHILD→PARENT" EXPRESSION <2, 4>
SUB TREE 1 ⟨2, 3⟩ <9, 11> 2 ⟨6, 7⟩ <1, 5⟩ **<8, 9>** ⟨1, 2⟩ OVERALL TREE [0] - ω ⟩ြ <0, 6> <0, 1> ⟨0,8 Fig.30B CONVERSION CHILD→PARENT EXPRESSION BASED ON WIDTH-FIRST ī 0 0 WIDTH-FIRST "CHILD→PARENT" EXPRESSION SUB TREE 2 <4, 9>
SUB TREE 1 __ œ ₹, 8 9 اري مري ₹,5 ⟨3, 7⟩ ₹, OVERALL TREE [0] <0, 2> <0, 1 ⟨0, 8⟩ Fig.30A 0




Fig.32

EXPRESSION BASED WIDTH-FIRST CHILD→PARENT	
C->P	ARRAY
0 -1	0 1
1 0	<u> </u>
	2 1
3 0	3 1
	3 <u> </u>
5 1	5 1
6 2	6 1
7 3	7 1
'	'
[8 1
9 4 10 7	9 1
'	10 1 1
11_7_	'' <u>'</u>
<u> </u>	

Fig.33

Fig.34








Fig.35


Fig.36

























ARRAY C->P CURRENT_NO STACK_POS STACK 1 3->2
















Fig.42B




Fig.42C




Fig.43A





Fig.43B






Fig.45A




Fig.45B

EXPRESSION BASED ON CHILD→PARENT




Fig.45C

EXPRESSION BASED ON PARENT→CHILD




Fig.46A

PROCEDURE 1: RESERVATION OF AREA AND INITIALIZATION

	ENVIOLED TO THE THE STATE OF TH
EXPRESSION BASED ON	
CHILD→PARENT	
C->P 0 -1 1 0 2 1 3 2 4 2 5 1 6 0 7 6 8 0 9 8 10 9 11 9	Aggr P->C 0 0 0 1 -1 1 0 1 -1 2 0 2 -1 3 0 3 -1 4 0 4 -1 5 0 5 -1 6 0 6 -1 7 0 7 -1 8 0 8 -1 9 0 9 -1 10 0 10 -1

Fig.46B

PROCEDURE 2: COUNT OF EXISTENCE NUMBER




Fig.46C

PROCEDURE 3: CONVERSION OF EXISTENCE NUMBER TO ACCUMULATIVE TOTAL




Fig.47A




Fig.47B

PROCEDURE 5: RETURN OF ARRAY Aggr TO STATE
BEFORE NODE NUMBER IS TRANSFERRED




Fig.47C

CONVERSION RESULT		
Aggr. 0 0 0 0 1 1 3 1 2 5 2 3 7 3 3	P->C 1 6 8	
4 7 4 5 7 5 6 7 6	2 5 3 4	
7 8 7 8 8 8 8 9 9 9 9 9 10 11 10	7 9 10 11	
11[(1))		




Fig.49A PROCEDURE 1:

Fig.50

